



K9 SERIES

24 HP



K9 SERIES

A LANDOWNERS BEST FRIEND

It is a fully-featured, tough and reliable companion.

Aggressive Styling

Power Steering with Tilt Wheel

Front/Rear Dual A-arm Suspension

24 hp Engine

Up to 50 km/h

725kg of Payload Capacity







Engine Gross Power 24 hp

The Kioti diesel engine provides powerful performance and fuel efficiency. The K9 Series 24 hp engine offers a maximum traveling speed of up to 50 km/h.



Low Noise and Vibration

Front and rear dual A-arm independent suspension and an interior rubber floor mat provide a smooth and quiet ride.



Excellent Brake Performance

Long lasting front and rear hydraulic disc brakes with a mechanical parking brake provide excellent performance and enhanced safety.



CVT

The K9 Series uses a continuously variable transmission with two speed ranges (Hi/Low) and 4WD. This allows the K9 to provide good response and easily match speed to the current condition.



CV Joint Guards and Skid Plates

Skid plates and front/rear CV joint guards offer added protection of crucial parts. With a full 12 inches of ground clearance, the K9 allows access to the roughest terrain.



K9 SERIES STYLISH AND COMFORTABLE



Interior Comfort

The K9 offers enough space to seat three passengers in the 2400 and five in the 2440 with ample leg room for all. Seat belts provide safety, while the contoured bench and standard rubber floor mat ensures everyone rides in comfort.



Tilt Steering Wheel

The steering wheel tilts with the simple push of a lever, allowing easy adjustment to fit the operator's needs. A car style multi-function lever located on the column offers convenient accessibility to control the lights, turn signals and horn.



Standard Half Door

For added safety, half doors come standard on the K9 Series to keep out brush while driving.



Automotive-Style Dashboard

Landowners will benefit from the automotive-style dash configuration with its ergonomic design allowing the driver to view or easily access levers and switches. The digital instrument panel allows for visibility during any hour of the day or night.



Abundant Storage

With an open and closed storage area on the dash and storage available under the hood, the K9 offers convenient storage options. The K9 2440 has additional storage under the front seat for larger items.



Cargo Bed

The K9's wide bed and standard spring lift assist provides excellent capabilities to make work easier. Add the optional hydraulic dump kit and you can easily place any load where you want it.

NEW GENERATION KIOTI UTILITY VEHICLE

Windshield Kit with Wiper (Optional)

An optional laminated glass windshield with a wiper can be added to the K9 Series.

A perspex windowscreen is also available as an option.





4x4

KIOTI



SPECIFICATIONS

MODEL		K9 2400	K9 2440
ENGINE			
Model		3C100LFU-U2	3C100LFU-U2
Type		3 Cylinder In-line Vertical, Water-Cooled Diesel	3 Cylinder In-line Vertical, Water-Cooled Diesel
Engine Gross	hp (kW)	24 (17.89)	24 (17.89)
Displacement	cu. in. (cc)	61.45 (1,007)	61.45 (1,007)
Rated Revolution	rpm	3,000	3,000
Fuel Tank Capacity	ℓ	37	37
DRIVE TRAIN			
Type		Belt CVT	Belt CVT
Gear Range		Low, High, Neutral, Reverse	Low, High, Neutral, Reverse
Ground Speed	(km/h)	0-50	0-50
Brake		Front/Rear Hyd Dry Caliper Disc	Front/Rear Hyd Dry Caliper Disc
SUSPENSION			
Front Suspension		Independent, Double A-Arm (Wishbone Type)	Independent, Double A-Arm (Wishbone Type)
Rear Suspension		Independent, Double A-Arm (Wishbone Type)	Independent, Double A-Arm (Wishbone Type)
STEERING			
Type		Hydraulic Power	Hydraulic Power
DIMENSIONS / CAPACITY			
Length	in. (mm)	119.7 (3,045)	149.2 (3,790)
Width	in. (mm)	62.6 (1,590)	62.6 (1,590)
Height	in. (mm)	76.8 (1,950)	76.9 (1,955)
Wheelbase	in. (mm)	85.8 (2,180)	112.2 (2,850)
Ground Clearance	in. (mm)	12.5 (317.5)	12 (304)
Max. Wheel Tread	Front	49.7 (1,262)	49.7 (1,262)
	Rear	49.8 (1,264)	49.8 (1,264)
Turning Radius	ft. (m)	14.1 (4.3)	18.4 (5.6)
Weight	(kg)	930	1,050
Towing Capacity	(kg)	590	590
Payload Capacity	(kg)	794	794
Seat Capacity / Style		3 / Bench	5 / Bench
CARGO BED			
Length × Width × Depth		in. (mm) 43.7 (1,110) × 58.3 (1,480) × 11.5 (293)	39.2 (1,010) × 58.3 (1,480) × 11.5 (293)
Bed Capacity		(kg) 500	300
Dump Box Actuation		Hydraulic	Hydraulic
TIRE SIZE			
Front	ATV	25×10-12	25×10-12
Rear	ATV	25×11-12	25×11-12
BODY			
Body Color		Orange	Orange
STANDARD EQUIPMENT			
Front Grill Guard		Standard	Standard
Speedometer		Standard	Standard
Suspension Dust Guards		Standard	Standard
Parking Brake Buzzer		Standard	Standard

OPTIONAL EQUIPMENT

Canopy / Windshield

- Laminated Glass Windshield
- Perspex Front Windshield

Hydraulics

- Remote Hydraulic
- Hand Throttle

Protection

- Rear Screen

Accessories

- Fog Lamp
- Working Lamp
- Headrest
- Side View Mirror
- License Plate
- Beacon Light Wiring
- Back-Up Alarm
- Aluminum Wheels

* NOTE : Specifications and design are subject to change without notice. Images shown may vary from actual product.



Kioti Australia
 PFG Australia Pty Ltd
 199 Australis Drive, Derrimut VIC 3026

Phone 1800 186 866
Web www.kioti.com.au